

Minimally Invasive Bunion Repair

Fast, Gentle Relief • Walk the Same Day

At a glance: Minimally invasive bunion surgery corrects hallux valgus through 2–5 mm incisions using fluoroscopic guidance — no large open incision required. A percutaneous Chevron and Akin osteotomy (MICA) realigns the first metatarsal and is secured with small buried screws. Patients

1 Minimally Invasive Bunion Surgery

Bunion pain cramping your style (and toes)? Bunions—those bony bumps at the base of the big toe—can make every step hurt and shoe shopping a chore. Our minimally invasive bunion surgery uses

2 What Is a Bunion and Why Does It Form?

A bunion (hallux valgus) is a deformity where the first metatarsal drifts inward and the big toe angles toward the second toe, creating a prominent bump that can become swollen, painful, and arthritic.

3 The Evolution of Bunion Surgery: Why ...

Dr. Patish commonly performs MIS Chevron and Akin osteotomies (often termed MICA) and smooths the bony prominence as needed—guided by live imaging through tiny openings.

4 What to Expect After MIS Bunion Surgery


Tip: Smart footwear and, when advised, custom orthotics help protect your correction long-term.

Same or Next Day Appointments Monday–Friday

Call or text (760) 728-4800 • fallbrookfootdoctor.com



**YOUR FEET IN
KIND HANDS**



Dr. Grigoriy Patish, DPM

Triple Board-Certified
20+ Years Experience

(760) 728-4800

Call or Text for Appointment

fallbrookfootdoctor.com

FALLBROOK OFFICE

407 Potter St, Suite A,
Fallbrook, CA 92028

TEMECULA OFFICE

28975 Old Town Front St,
Suite 200, Temecula, CA
92590

HOURS

MON–FRI 9 am – 5 pm